TÜRKAK TÜRK AKREDİTASYON KURUMU

TURKIS ACCREDITATION AGENCY

tarafından akredite edilmiş

FTI Fasad Teknoloji Merkezi / FTI Façade Testing Institute

NB 2547 no'lu AB Onaylanmış Kuruluşu / EU Notified Body Nr. 2547

Merkez / Head Office

Atilla ilhan Caddesi No:10 PK 34750 Küçükbakkalköy -Ataşehir / Istanbul /TÜRKİYE Tel: +90 216 575 88 80 Fax: +90 216 575 89 21 mail: info@fti-europe.com

Laboratuvar / Laboratory

Çakıl Mahallesi Şehit Tamer Aydın Sok. No:60 / A 34540 Çatalca/ Istanbul / TÜRKIYE Tel: +90 212 776 42 25 Fax: +90 212 776 40 58-59 mail: info@fti-europe.com

DENEY SERTIFIKASI / Test Certificate



AB-0531-T

AB-0531-T

060.416.1 / 2015

07 / 2015



Orta Mah. Hamdi Efendi Sk. No: 16 D:32 İztower Soğanlık-Kartal / İstanbul / TÜRKİYE

Ürün Kabul Tarihi: 25/06/2015

2015 FTI Reference No: 2015.478

Acceptence Date of Item

Ürün Tipi Kimlik Kodu / Identification Code of the Product Type: BM 72 - Hinged Window System

İlgili Ürün Standardı: TS EN 14351-1+ A1

Relevant Product Standard

Performansın Değişmezliğinin Değerlendirilmesi ve Doğrulanması Sistemi: System 3 System of Assessment and Verification of Constancy of Performance

Uygulanan Test Standartları: TS EN ISO 10140-2

Applied Test Standards

TS EN ISO 717-1

Sonuçlar / Results: Rw (C; Ctr) = 37.5(-2.1; -5.4) dB

Test Tarihi / Date of Test 27 / 07 / 2015

Sayfa Sayısı / Number of Pages 1 / 17

Türk Akreditasyon Kurumu (TÜRKAK) deney raporlarının tanımması konusunda Avrupa Akreditasyon Birliği (EA) ve Uluslararası Laboratuvar Akreditasyon Birliği (ILAC) ile karşılıklı tanınma anlaşması imzalamıştır.

The Turkish Accreditation Agency (TURKAK) is signatory to the multilateral aggreements of the European co - operation for the Accreditation (EA) and of the International Laboratory Accreditation (ILAC) for the Mutual Recognation of test reports.

Uygulanan metodlar, test sonuçları ve genişletilmiş ölçüm belirsizlikleri (talep edilirse), bu sertifikanın tamamlayıcı kısmı olan takip eden sayfalarda verilmiştir. Bu sertifika yanlız test edilen numuneye ait sonuçları içerir ve ekte sunulan ilgili test raporu ile birlikte geçerlidir.

The applied methods test results and the uncertainties (if requested) with confidence probability are given on the following pages which are part of this report. This certificate includes the test specimen which is identified above and its valid with the related test report which is presented as annex.

Bu sertifika, NB-2547 no'lu Avrupa Birliği Onaylanmış Kuruluşu FTI Fasad Teknoloji Merkezi tarafından 305/2011/AB Yapı Malzemeleri Yönetmeliği doğrultusunda verilmektedir.

This certificate is issued by FTI Facade Testing Institute - European Union Notified Body Nr. 2547 according to the Construction Products Regulation 305/2011/EU.

Mithiur Sent Ta

Tarih / Date of Issue 27 / 07 / 2015

NB 2547 no'lu AB Onaylanmış Kuruluşu adına/on behalf of EU NB 2547

Onaylanmış Kuruluş Direktil Yöneticisi/Directive Manager of Notified Body

F.15.24 REV. NO.B TEMMUZ 2016 Mar (-

Bu Rapor Laboratuvarın yazılı izni olmadan kısmen kopyalanıp çoğaltılamaz. İmzasız ve mühürsüz raporlar geçersizdir.
This report shall not be reproduced other than in full except with the permission of the laboratory. Examination reports without signature and seal are not valid.

TEST REPORT

Report Number : 060.416.1 / 2015

Report Date : 27 / 07 / 2015

Testing Reference : TS EN ISO 10140-2 Acoustics - Laboratory Measurement of Sound

Insulation of Building Elements

Part2: Measurement of Airborne Sound Insulation

Product : BM 72 – Hinged Window System

Client : Burak Aluminyum San. ve Tic. A.Ş.

F 15.20 REV NO: A OCAK 2012

1. PREFACE

This report comprises of tests and results, which were performed by FTI Facade Testing Institute at the address; Çakıl Mah. Şehit Teğmen Tamer Aydın Sok. No: 60/A 34540 Çatalca - Istanbul / TURKIYE.

Test sample name is BM 72 – Hinged Window System which has been produced by Burak Aluminyum San. ve Tic. A.Ş.

Test was carried out on 27 / 07 / 2015 for the determination of acoustic performance.

Test sample has been sent to FTI Laboratory on 25 / 06 / 2015.

2. CLIENT

Burak Aluminyum San. ve Tic. A.Ş.

Orta Mah. Hamdi Efendi Sok. No:16 D:32 İztower - 34880

Soğanlık - Kartal / İstanbul / TÜRKİYE 34540

3. TEST METHODS

The above mentioned test has been carried out in project specifications and classified on the standard indicated below. Test has been reported as the number of 060.416.1 / 2015 by Ayfer DİNCEL.

TS EN ISO 10140-2 Acoustics-Laboratory Measurement of Sound Insulation of Building Elements

Part2: Measurement of Airborne Sound Insulation

TS EN ISO 717-1 Acoustics-Rating of Sound Insulation in Buildings and of Building Elements

Part 1: Airborne Sound Insulation

4. TEST DATE AND PARTICIPANTS

Test was performed on 27 / 07 / 2015 with the following participants:

| Mr. | Oner ARSLAN | FTI | Directive Manager of Notified Body |
|-----|-------------|-----|------------------------------------|
|-----|-------------|-----|------------------------------------|

Mr. Serhat ÇOLAK FTI Testing Manager
Mrs.Ayfer DİNCEL FTI Testing Engineer
Mr. Sinan BAYRAKTAR FTI Testing Engineer
Miss. Nilay BULUT FTI Testing Engineer

5. DESCRIPTION OF TEST SAMPLE

Type of sample Hinged Window System

System Name BM 72

Dimension of Sample (L x H) 1200 mm x 1200 mm



Surface area of Sample 1,44 m²

Dimensions of Operable Part (1) 567 mm x 1152 mm

Surface Area of Operable Part (1) 0,65 m²

Glass Type External glass 6 mm flat transparent glass + 16 HB + Internal glass

6 mm flat transparent glass

6. CONDITIONS

Local Temperature28°CHumidity66%Atmospheric Pressure1008,0mbar

7. TEST PERFORMANCE

7.1. Test Results

According to the airborne sound insulation tests conducted in the laboratory, weighted sound reduction index rated according to TS EN ISO 717-1 are given here below.

Rw(C; Ctr) = 37.5(-2.1; -5.4) dB / 2015.478.17 / 27.07.2015

7.2. Mounting in the Laboratory

Test Opening Size 1200 mm x 1200 mm

Test Setup Modular test wall incorporating openings with differing size.

Laboratory conforms to TS EN ISO 10140-2 suppressed flanking transmission suite conditions. Test wall frame is mounted with 50 mm continuous acoustic break filled with rockwool insulation and sealed with elastic PU foam and non setting mastic on all sides. The insert frame was adapted to the necessary test area by utilisation of

a high sound insulation light weight wall detail.

Mounting of The Specimen Carried out by staff of client.

Mounting Conditions Test specimen was fitted with foam insulation and sealed on both

sides with non setting mastic.

7.3. Testing Conditions

Source Room Volume= 105.8; RT < 1.7 s Receiving Room Volume= 95.1; RT < 1.5 s

Test Opening in The Wall Largest opening 3890 x 2570 mm (9,99 m²)

Depth of Test Opening 250 mm



21,07 m² Total Partition Wall Area Maximum Sound Insulation R'max = 59 dBSound Source Dodecahedron loudspeaker placed in two positions inside the source room Rotating microphone positioned inside the receiving room with Microphone System 60s/rotation. A microphone with tripod placed in five different positions inside the source room. Wideband white noise Source Signal Filters One-third octave band filters with centre frequencies within the range of 50-5000Hz Thermo-Hygro 28°C; 66% RH;1008,0 mbar

7.4. Test Equipment

| Instrument | Туре | Manufacturer |
|-----------------------------|----------------------|-----------------------|
| Acoustic Analyser | NOR 140 | Norsonic |
| Sound Level Calibrator | NOR 1251 | Norsonic |
| Sound Source | NOR 270 | Norsonic |
| Amplifier | NOR 280 | Norsonic |
| Rotating Microphone Boom | NOR 265 | Norsonic |
| Microphone Ext. Cables | NOR 1494 | Norsonic |
| Temperature-Humidity Sensor | TFA Dostmann REF 486 | TFA Dostmann/Wertheim |


7.5. Detailed Result

Results obtained from the airborne sound insulation tests of the specimen are given in the following graphs prepared according to TS EN ISO 717-1.

Background noise correction was not necessary.

8. PICTURE OF TEST SAMPLE

View from the source room







9. RESULT


| | MOCKUP | RESULT | CLASSIFICATION |
|----------------------|---------------------------------|------------------------------------|----------------|
| TS EN ISO 10140-2 | BM 72 – Hinged Window System | Rw (C; Ctr) = 37,5 (-2,1;-5,4)dB | - |

Apparent sound reduction index according to ISO 10140-2 Laboratory measurements of airborne sound insulation of building elements Client: BURAK ALUMİNYUM SAN. VE TİC. A.Ş. 27.07.2015 Date of test: Manufacturer: Test room identification: Test specimen mounted by: Product identification: BM 72 - Hinged Window System Description of the specimen: 1200mm x 1200mm 1,44 m² Size of test opening: Frequency range according to the kg/m² Mass per unit area: curve of shifted reference values (ISO 717-1) Temperature: °C † ⁷⁰ Air humidity: 105,8 m³ Source room volume: 95,1 m³ Receiving room volume: sound reduction i Frequency 1/3 octave [dB] [Hz] Apparent 20 50 63 80 100 22.8 125 20,0 160 20.0 40 200 23,8 250 29,7 315 31,9 400 31.3 500 35,6 30 630 39,3 800 40.6 1000 43,1 1250 41.2 1600 39.4 2000 35,5 2500 37.8 3150 42.1 4000 52,3 5000 250 500 1000 2000 Hz 4000 Frequency, f, Hz------Rating according to ISO 717-1 dB C₅₀₋₅₀₀₀= dB $C_{100-5000} = -1,1$ dB $R'_{w}(C;C_{tr}) = 37.5 (-2.1 ; -5.4) dB$ $C_{50-3150} =$ Evaluation based on laboratory measurement results obtained in one-third-octave bands by an engineering method. dB C_{tr,50-5000} = dBC_{tr,100-5000}= -5,4 dB C_{tr,50-3150} = Company: 2015.478.17 No. of test report: Date: 27.07.2015 Signature:


YÜKSEK PERFORMANSLI MENTEŞELİ DOĞRAMA SİSTEMİ

YENİ TASARIM


BM8002 (1,681 kg/m.)




BM8001 (1,496 kg/m.)



BM8003 (1,636 kg/m.)







20408 0,420 kg/m.






YÜKSEK PERFORMANSLI MENTEŞELİ DOĞRAMA SİSTEMİ






YÜKSEK PERFORMANSLI MENTEŞELİ DOĞRAMA SİSTEMİ











YÜKSEK PERFORMANSLI MENTEŞELİ DOĞRAMA SİSTEMİ











YÜKSEK PERFORMANSLI MENTEŞELİ DOĞRAMA SİSTEMİ



YÜKSEK PERFORMANSLI MENTEŞELİ DOĞRAMA SİSTEMİ



YÜKSEK PERFORMANSLI MENTEŞELİ DOĞRAMA SİSTEMİ

| | EPDM FITILLER / EPDM GASKETS | 1 |
|-----------------|--|------------------------------------|
| ÇİZİM / DRAWING | AKSESUAR KODU VE ÜRÜN BİLGİLERİ / ACCESSORY CODE AND PRODUCT DESCRIPTION | TAKILMA BÖLGESİ / APPLICATION AREA |
| | 212167 ORTA BİNİ FİTİLİ / CENTRAL STEP GASKET BİRİM AĞIRLIK / UNIT WEIGHT: g/m KOLİ MİKTARI / PACKAGE QUANTITY: 245 m | |
| | 212168 DIŞ CAM FİTİLİ 4 mm / OUTER GLAZING GASKET 4 mm BİRİM AĞIRLİK / UNIT WEIGHT: 66 g/m KOLİ MİKTARI / PACKAGE QUANTITY: 230 m | |
| | 212169 KASA FİTİLİ / FRAME GASKET BİRİM AĞIRLİK / UNIT WEIGHT: 39 g/m KOLİ MİKTARI / PACKAGE QUANTITY: 380 m | |
| | 212153 KAMA FİTİLİ 4 mm / SUPPORT GASKET 4 mm BİRİM AĞIRLIK / UNIT WEIGHT: 55 g/m KOLİ MİKTARI / PACKAGE QUANTITY: 270 m | |
| | 212154 KAMA FİTİLİ 4 mm / SUPPORT GASKET 4 mm BİRİM AĞIRLIK / UNIT WEIGHT: 55 g/m KOLİ MİKTARI / PACKAGE QUANTITY: 270 m | |
| | 212155 KAMA FİTİLİ 5 mm / SUPPORT GASKET 5 mm BİRİM AĞIRLIK / UNIT WEIGHT: 55 g/m KOLİ MİKTARI / PACKAGE QUANTITY: 270 m | |
| | 212172 KAPATMA FİTİLİ / CLOSING GASKET BİRİM AĞIRLIK / UNIT WEIGHT: 52 g/m KOLİ MİKTARI / PACKAGE QUANTITY: 300 m | |
| | TESTING 25TITE | |

YÜKSEK PERFORMANSLI MENTEŞELİ DOĞRAMA SİSTEMİ

| KÖŞE TAKOZLARI / CORNER CLEATS | | | | |
|--------------------------------|---|-------------------------------------|--|--|
| ÇİZİM / DRAWING | AKSESUAR KODU VE ÜRÜN BİLGİLERİ / ACCESSORY CODE AND PRODUCT DESCRIPTION | KESİM ÖLÇÜSÜ / CUTTING DIMENSION | | |
| | 111207 PROFİL NUMARASI / PROFILE NUMBER: 20301 PROFİL AĞIRLIĞI / PROFILE WEIGHT: 2,564 kg/m | 10,8 mm | | |
| | 111208 PROFİL NUMARASI / PROFILE NUMBER: 20301 PROFİL AĞIRLIĞI / PROFILE WEIGHT: 2,564 kg/m | 18,5 mm | | |
| | 111209 PROFİL NUMARASI / PROFILE NUMBER: 20301 PROFİL AĞIRLIĞI / PROFILE WEIGHT: 2,564 kg/m | 26,5 mm | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | FESTING 125TITC | | | |



YÜKSEK PERFORMANSLI MENTEŞELİ DOĞRAMA SİSTEMİ

YENİ TASARIM

TEST NUMUNESINDE KULLANILAN DİĞER AKSESUARLAR



